


**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (currently amended): An aqueous water- and oil-repellent dispersion comprising:
  - (A) a homopolymer or copolymer comprising at least one polymerizable compound having a perfluoroalkyl or perfluoroalkenyl group and an acrylate or methacrylate group, or a copolymer comprising said polymerizable compound and another compound copolymerizable therewith, and
  - (B) a surfactant which comprises a cationic surfactant and a nonionic surfactant of the formula (I):



wherein  $R^1$  is a branched alkyl or alkenyl group ~~wherein including a main chain has~~ having at least 5 carbon atoms and a side chain has and three of more side chains having a total of at least 3 carbon atoms in all side chains,

- a is an integer of at least 3, and
  - b is an integer of 10 to 30.
2. (currently amended): The dispersion according to claim 1, wherein, in  $R^1$  of the formula (I), ~~the each~~ each side chain is an alkyl group ~~and the number of the side chains is at least 3.~~
3. (original): The dispersion according to claim 1, wherein  $R^1$  in the formula (I) has at least 10 carbon atoms.

4. (currently amended): The dispersion according to claim 1, wherein, in  $R^1$  of the formula (I), ~~the~~ each side chain is an alkyl group having 1 to 3 carbon atoms.
5. (currently amended): The dispersion according to claim 1, wherein, in  $R^1$  of the formula (I), ~~the~~ each side chain is a methyl group.
6. (original): The dispersion according to claim 1, wherein  $R^1$  in the formula (I) is a  $C_{13}$  isotridecyl group having 4 side-chain methyl groups, that is,  
 $CH_3CH(CH_3)CH_2CH(CH_3)CH_2CH(CH_3)CH_2CH(CH_3)CH_2-$ .
7. (original): The dispersion according to claim 1, wherein  $R^1$  in the formula (I) is a  $C_{13}$  isotridecyl group having 6 side-chain methyl groups, that is,  
 $CH_3C(CH_3)_2CH_2C(CH_3)_2CH_2C(CH_3)_2CH_2-$ , or  
 $CH_2(CH_3)CH(CH_3)CH(CH_3)CH(CH_3)CH(CH_3)CH(CH_3)CH_2-$ .
8. (original): The dispersion according to claim 1, wherein  $R^1$  in the formula (I) is a  $C_{13}$  isotridecyl group having 3 side-chain ethyl groups, that is,  
 $CH_3CH(C_2H_5)CH_2CH(C_2H_5)CH_2CH(C_2H_5)CH_2-$ .
9. (original): A method of processing a textile, comprising using the dispersion according to claim 1.
10. (original): A textile, to which the dispersion according to claim 1 is applied.